TECHNICAL DATA

Version 9

AT142 Cotton Cloth Protection Tape

General Description

A close woven unbleached uncoated cotton cloth with a white, acid-free, aggressive pressure sensitive adhesive.

- Biodegradable
- Can be written on
- Strong
- Conformable to awkward shapes
- Good abrasion resistance
- Non-corrosive adhesive
- Can be used for veterinary purposes

Specification

Certification* to the following standards may be available on request. DEF STAN 75-2.

Technical Details

Typical Values

Thickness	0.22mm
Breaking Load	60 N/cm
Elongation	5%
Adhesion Steel	2.0 N/cm
Self	2.0 N/cm
Water Extract pH Chloride Max Sulphate Max	6.5 to 7.5 0.03% as NaCl 0.17% as Na2SO4
RoHS compliant	Yes
Service Temperature	-10℃ to +60℃
Application Temperature	+10℃ to +45℃
Storage Temperature	+12℃ to +25℃

*Standard charge for certificate: £25.00.



	NOTE Except where indicated otherwise, the figures stated are average values and should not be regarded as MAXIMUM or MINIMUM values for specification purposes. The Company reserves the right to improve products and any change in specification will result in a re-issue of the relevant 'Technical Data Sheet'. Customers should satisfy themselves that the tape is suitable for their requirements whether after such modifications or otherwise. Please check that you have the latest issue of the 'Technical Data Sheet'. All slitting and length tolerances are to British Standards. Before use the customer is advised to consult the Health & Safety Data Sheet produced by the company for this product, which is available on request.
	STORAGE Tapes stored below the minimum recommended temperature will require warming up to that level before use. Up to 24 hours may be required for this to take place.
O4	O ADVANCE adhesive tapes
s BS	EN ISO 9001 005206 INVESTOR IN PEOPLE

AFERA Association des Fabricants Européens de Rubans Auto-Adhésifs.

Advance Tapes International Ltd., PO Box 122, Abbey Meadows, Leicester, LE4 5RA England Telephone: 00 44 (0)116 251 0191, Fax: 00 44 (0)116 265 2046 www.advancetapes.com